SCHE GAMA 2010 sound





KOOLSOUND CDJ 320/600



CDJ-320

Slot-in CD-player

- Sony optics
- 2 Seamless loops
- 4 independent CUE points
- Manual BPM counter
- 10 by 10 and 5 by 5 tracks skip button
- Ultra-fast start in 0,015 sec. Direct access to tracks
- · 10-seconds anti-shock memory
- Start by cross-fader (remote)
- · Relay play function
- +/- 8, +/- 16 % or +/- 32 % pitch range
- Large jog wheel Ø 8" vinyl type pitch bend wheel for scanning and setting on the frame with read speed variation
- Extra wide VFD display and rotation way display
- 320 x 360 x 105 mm 8 Kg

(koo-cdj320)



CDJ-600

Slot-in CD/MP3-player with USB-input

- Sony optics
- Matrix display
- A large touch multi purpose jog wheel 8"
- Anti shock memory
- Seamless Loop
- Direct access to tracks
- Selectable Pitch +/- 8, 16, 24%
- · Pitch bend function
- BPM Tap
- Single/ Continue and Autocue function
- Fast Search with folder in/out
- Large VFD screen and rotation way display.
- 320 x 360 x 105 mm 8 Kg

(koo-cdj600mp3)





Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND SINGLE CD/DVD







CDS-110

Single 19" CD/MP3 player

- 19" Single MP3 CD player
- · Sony optic
- · 20-seconds anti-shock memory
- 1 seamless loop
- Pitch +/- 12% Pitch Bend +/-16%
- 3 speed jog and shuttle wheel
- Single / Continuous play function
- Autocue, Cue and Loop
- With remote control
- 483 x 262 x 88 mm 3,9 Kg

(koo-cds110)

iCDS-190

Tabletop CD-player with iPod dock and USB connection

- Flat top CD player with iPod connection and USB terminal
- Video output
- Sony optic
- 10 second anti-shock memory
- · Seamless loop. Direct access to tracks
- Multifunctional jog wheel
- Variable pitch control (+/-12%) + pitch-bend (+/16%)
- Adjustable Pitch with USB or iPod modes
- iPod not included
- 260 x 217 x 120/85 mm 3,9 Kg

(koo-icds190)



KOOLSOUND DOUBLE CD





CDS-210

Double CD/MP3 player 2U + 2U

- 19" Double CD MP3 player
- 2U + 2U
- · Sony optic laser
- 2 x 20sec Anti-shock Memory
- Pitch and Pitch Bend +/- 4, 8 and 16%
- · Loop and Reloop function
- 3 speed jog and shuttle wheel
- Single / Continuous play function
- Autocue, Cue and Loop
- Player: 483 x 255 x 88 mm
- Controller: 483 x 80 x 88 mm
- 6,6 Kg

(koo-cds210)

CDX-400

Double CD player 4U + 2U with scratch and effects

- 19" professional double CD player (4U+2U)
- 10-seconds anti-shock memory for each player
- 8 FX: Scratch, skid, flanger, echo, filtre, trans, pan and phase
- Seamless loops with: 3 memory banks per side
- 3 Cue memories per side
- Brake function
- Sony optics
- Multifunctional touch-sensitive jog-wheel
- Variable pitch control (8, 16, 32 or 100%) + pitch-bend
- BPM counter
- Master Tempo
- Relay, Autocue, single and continuous function
- Digital outputs.
- Player: 483 x 262 x 88 mm
- Controller: 483 x 178 x 65 mm
- 9kg

(koo-cdx400)



BOOMBOX OX SERIES



<u>OX-777</u>

No-nonsense double 19" cd/mp3-player

- Double 19" cd/mp3 deck 2U + 2U
- Pitch +/- 4/8/16%
- Loop and reloop functions
- Anti-skip system
- Blue LCD displays
- Brushed aluminium face plate
- Sony optics
- Dimensions controller: 482 x 88,8 x 80 mm
- Dimensios base unit: 482 x 88,8 x 267 mm
- Weight: 6,8 kg

(koo-ox777)



KOOLSOUND MPX SERIES













Imported in the Benelux by Pro Audio Trade byba

MPX-160

SD-card / USB Controller

- 1U 19"
- 1 seamless loop
- Pitch +/- 12%
- · Fast Search with folder in/out
- Matrix Display
- Mic XLR input with gain
- XLR/RCA outputs
- With remote control.
- 483 x 262 x 44 mm 3,9 Kg

(koo-mpx160)

MPX-230

Double SD-card / USB Controller

- 2U 19"
- 1 seamless loop
- Pitch +/- 12%
- Pitch Bend +/- 16%
- Matrix Displays
- Fast Search with folder in/out.
- 483 x 262 x 88 mm 3,9 Kg

(koo-mpx230)

MPX-300

MIDI/HD Table Top MP3 controller with 2 USB inputs

- Easy connection for hard disk, USB key, CD-Rom player and iPod®
- You can use one MPX-300 as a double deck with the software Easy Mix Station included in the box
- Large touch sensitive multi purpose jog wheel Ø 18cm
- 5 DSP effects including scratch, brake and reverse
- 3 hot cue
- · 2 seamless Loop.
- Master Tempo
- Selectable Pitch +/- 8, 12, 32 and 100%
- Pitch bend function
- BPM Counter and Tap
- Single/ Continue and Autocue function
- Fast Search
- · Large LCD screen with ID3 display
- · Linkable with another unit
- · Digital output

(koo-mpx300)



- S-sharped tone arm
- Anti skating settings.
- Target light for cartridge.
- Selectable Pitch +/- 10%
- · Reverse function
- 2 start stop buttons
- Quartz lock function
- Motor off function
- 3 speeds 33/45/ 78 Rpm
- Shippedwith cartridge449 x 370 x 145 mm 4,5 Kg

(koo-tdj01)



KCL 01

Audiotechnica cartridge

- Specialised scratch needle
- · High-quality spherical diamond tip
- Installed on headshell.

(koo-kcl01)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND ZS SERIES







Imported in the Benelux by Pro Audio Trade byba

ZS 6-2 USB

6-Channel PA-mixer with USB

- 6-channel mixer
- 2 mono + 2 stereo channels
- 3-bands equalizer per channel
- 48 V-phantom power per channel
- Including DSP 256 multi effects
- Built-in USB audio interface

(koo-zs62usb)

ZS 8-2 USB

8-Channel PA-mixer with USB

- 8-channel mixer
- 4 mono + 2 stereo channels
- 3-bands equalizer per channel
- 48 V-phantom power per channel
- Including DSP 256 multi effects
 Built-in USB audio interface

(koo-zs82usb)

ZS 16-4

16-Channel PA-mixer

- 16-channel mixer
- 8 mono + 4 stereo channels
- 3-bands equalizer per channel
- 48 V-phantom power per channel
- 19" design
- rack mount kit included

(koo-zs164)



KOOLSOUND WAVE SERIES



WAVE 01 MK2

2-Channel compact DJ battle mixer

- 10" mixer
- 5 inputs / 2 channels
- 2 line inputs + 2 phono inputs + 1 Mic input
- Gain and 2 band EQ per channel (-26 dB / +12 dB)
- · LED Beat indicator
- · DJ mic channel with bass/high and gain control
- Headphones with a CUE/PGM control
- 265 x 253 x 90 mm 4 kg

(koo-wave01mk2)



WAVE 05 USB

2-Channel compact DJ mixer with 2 USB in/out

- 5 inputs / 2 channel
- 2 line inputs + 2 phono/Line inputs + 1 Mic input
- 2 USB inputs In/Out
- Gain and 2 band EQ per channel (-26 dB / +12 dB)
- LED Beat indicator
- DJ Channel with Talkover and gain control
- Headphones with a CUE PGM control
- Shipped with USB wire
- 295 x 214 x 80 mm 2.5 kg

(koo-wave01mk2)



WAVE 03 MK2

4-Channel DJ mixer

- 8 inputs / 4 channels mixing console with auto BPM counters
- 4 line + 3 phono/CD + 1 mic input
- Gain and 3-band equaliser per channel with -26 dB kill
- Automatic BPM counter for channel 2 and 3
- DJ mic channel with XLR-JACK connector and auto talkover
- 2 outputs: master with balance, booth and record
- · Headphone jack with volume control and CUE/MIX fader
- Assignable external effect input pre- and post-fader channel
- VCA crossfader
- 372 x 294 x 91 mm 6 Kg

(koo-wave03mk2)

Imported in the Benelux by Pro Audio Trade byba



BOOMBOX WAX SERIES







WAX-100

9-channel DJ mixing console

- 19" / 6U mixing console
- 13 inputs / 9 channels
- 4 line + 4 phono + 5 mic inputs
- Removable and assignable cross fader
- 3-band equaliser +/-12dB per channel + gain
- DJ channel with Combo XLR/Jack connector and manual talkover
- Outputs: Master (Balanced), booth and record
- 483 x 267 x 109 mm 6 Kg

(koo-wax100)

WAX-200

4-channel DJ mixing console

- 8 inputs / 4 channels
- 3 line + 2 phono + 1 CD + 2 mic inputs 1DJ Channel with talkover
- 3 band equaliser
- Built-in numeric echo with volume and delay ajustements (max.200 ms and repetitions)
- 8 sound effects
- Outputs: master and record
- 380 x 210 x 65 mm 3 Kg

(koo-wax200)



KOOLSOUND CLUB SERIES



CLUB 01 MK2

9-Channel DJ-mixing console

- 19" / 6U mixing console
- 13 inputs / 9 channels (4 line + 4 phono + 5 mic)
- Removable and assignable cross-fader
- 3-band equaliser per channel
- DJ channel with XLR connector and manual talkover
- Outputs: Master, booth and record
- · BNC Connector for light unit
- 483 x 267 x 109 mm 6 Kg

(koo-club01mk2)



CLUB 02 MK2

6-Channel DJ-mixing console

- 19" / 6U mixing console
- 10 inputs / 6 channels (5 line + 3 phono + 2 mic)
- Removable and assignable cross-fader
- 3-band equaliser per channel
- 2 DJ channels with XLR connector, manual talkover and echo
- · Built-in digital echo with volume and delay adjustments
- Outputs: Master, booth and record XLR output
- 483 x 267 x 109 mm 7 Kg

(koo-club02mk2)



CLUB 03 USB

4-Channel DJ-mixing console with USB input/output

- 19" / 4U mixing console
- 10 inputs / 4 channels
- 1 USB (In/Out) + 3 line + 1 phono + 2 CD + 1 phono/line + 2 mic
- Removable and assignable cross-fader
- 3-band equaliser per channel + gain
- 2 mic channesl with Combo XLR/Jack connector, High/Mid/Low and manual talkover
- Headphone jack with volume and CUE/MIX control
- · Outputs: Master, booth and record
- 483 x 177 x 95 mm 5 Kg

(koo-club03usb)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND CLUB SERIES



CLUB 05 USB

9-Channel DJ-mixing console with USB input/output

- 19" / 6U mixing console
- 13 inputs / 9 channels
- 1 USB (In/Out) + 3 line + 3 phono + 1 phono/line + 5 mic
- Removable and assignable cross-fader
- 3-band equaliser +/- 12dB per channel + gain
- 2 mic channesl with Combo XLR/Jack connector and manual talkover
- · Outputs: Master (balanced), booth and record
- 483 x 267 x 109 mm 6 Kg

(koo-club05usb)





CLUB SD

4-Channel DJ-mixing console with built in SD-card player

- 19" / 4U mixing console
- 11 inputs / 4 channels
- 1 SD card (Controller) + 4 line + 2 AUX + 2 phono/aux + 2 mic
- Removable and assignable cross-fader
- 3-band equaliser per channel + gain
- 1 mic channel with Combo XLR/Jack connector, High/Low EQ
- Headphone jack with volume and CUE/MIX control
- SD Controller with Matrix Display, Pitch +/- 8, 16, 24%, Seamless loop, Folder search, assignable to all channels
- Alu front panel finish.
- 483 x 177 x 95 mm 5 Kg

(koo-clubsd)



KOOLSOUND WIRELESS







USM 60 Divesity

UHF Wireless system with 1 handheld mic

- Kit including a Diversity UHF 800 MHz single channel receiver and a handheld transmitter
- · Fixed frequencies driven by quartz
- Level settings
- Outputs: balanced, unbalanced or mixed
- Power supply AC DC 12V 300mA.

(koo-usm60diversity)

USM 260

2-Channel UHF Wireless system with 2 handheld mics

- Kit including a Diversity UHF 800 MHz double channel receiver and 2 handheld transmitters
- Fixed frequencies driven by quartz
- · Level settings
- Outputs : balanced, unbalanced or mixed
- Power supply AC DC 12V 300mA.

(koo-usm260)

UHF 216

19" 2-Channel UHF Wireless system with 2 handheld mics

- Set of 2 Handheld mics UHF 800 MHz
- 2 x 16 selectable frequencies PLL Synthetised Control
- 19" inch 1 alu unit rackable receiver
- 2 LCD screens
- · Outputs: balanced, unbalanced or mixed
- · 2 Handheld mics

(koo-uhf216)

PLL 99

2-Channel UHF Wireless system with 2 handheld mics

- Set of 2 Handheld mics UHF 800 MHz
- 2 x 16 selectable frequencies PLL Synthetised Control
- 19" inch 1 alu unit rackable receiver
- 2 LCD screens
- · Outputs: balanced, unbalanced or mixed
- 2 Handheld mics

(koo-pll99)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND WIRELESS









VHF 70 Diversity

VHF Wireless system with 1 handheld mic

- The kit includes a Diversity VHF receiver and a handheld mic
- Signal reception and power supply Leds
- Back panel: controllable mute (squelch) and audio output by Jack
- · Battery condition indicators
- 147 x 96 x 32 mm 215 g

(koo-vhf70diversity)

VHF 70 Set Diversity

VHF Wireless system with beltpack, headset and lavalier mic

- The kit includes a Diversity VHF receiver a beltpack transmitter lavalier mic and headset mic
- · Signal reception and power supply Leds
- Back panel: controllable mute (squelch) and audio output by Jack
- · Battery condition indicators
- 147 x 96 x 32 mm 215 g

(koo-vhf70setdiversity)

VHF 270

2-channel VHF Wireless system with 2 handheld mics

- The kit includes a double channel VHF receiver and 2 handheld transmitters
- Signal reception and power supply Leds
- Back panel: controllable mute (squelch) and audio output by Jack
- · Battery condition indicators
- 147 x 96 x 32 mm 215 g

(koo-vhf270)

VHF 270 SET

2-channel VHF Wireless system with headset, lavalier and handheld mic

- The kit includes a Diversity VHF receiver a beltpack transmitter with lavalier mic and headset mic and a handheld mic
- Signal reception and power supply Leds
- Back panel: controllable mute (squelch) and audio output by Jack
- Battery condition indicators
- 147 x 96 x 32 mm 215 g

(koo-vhf270set)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND DISCOVER





DISCOVER

50 Watt Mobile amplified system with wireless microphone system, built in mixer, dvd/cd player, USB input, iPod dock and rechargeable battery.

- Amplified speaker 50Watt
- 6,5" woofer
- Delivered with 2 wireless microphones UHF-800 MHz
- Player for DVD, CD/CD-R/RW and MP3
- With remote control
- USB player and iPod connection
- Video, S video, optical output 1 mic input 1 aux input -1 line output
- 2-band EQ and echo on master
- Dimensions: 340 x 360 x 510 mm
- Weight : 15 Kg

(koo-discover)



Sold by Antwerp DJ Supplies Imported in the Benelux by Pro Audio Trade byba



VOYAGER

Mobile amplified system with wireless microphone system, built in mixer, dvd/cd player, USB input and rechargeable battery.

- 100W ABS amplified louspeaker with 8" woofer
- Delivered with 2 UHF-800 MHz hand microphones
- DVD player, CD/CD-R/RW and MP3 compatible
- With remote control
- 1 USB input
- Video, S video, optical output
- 2 mic inputs, 2 aux. Jack 6.35 input and 1 line output
- Bass/Mid/High and Echo adjustable
- External speaker output
- Rechargeable battery or 220V
- Dimensions: 340 x 360 x 510 mm
- Weight: 15 Kg

(koo-voyager)

KOOLSOUND VOYAGER

VOYAGER HEADSET

Optional headset microphone and beltpack for koolsound Voyager

(koo-voyagerheadset)





Sold by Antwerp DJ Supplies Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND NJP ACTIVE











Imported in the Benelux by Pro Audio Trade byba

NJP 8 ACTIV

ABS Bi-amped speaker

- 2 channels
- 1 XLR mic input, 1 line input, 1 line output, 1 master
- Impedance: 8 ohms
- Woofer: 8"
- Driver: 1"
- Max Power: 150W
- Frequency response: 50 17000 Hz
- Sensitivity (1W/1m): 90dB
- Dimensions (H x W x D): 390 x 280 x 210 mm
- Weight: 9 kg

(koo-njp8activ)

NJP 12 ACTIV

ABS Bi-amped speaker

- · 2 channels
- 1 XLR/Jack mic input with gain, 1 RCA/XLR phono/line input, 1 XLR/Jack line output, 1 master, Low / High EQ
- Impedance: 8 ohms
- Woofer: 12"
- Driver: 1,35" Compression
- Max Power: 300W
- Frequency response: 40 18000 Hz
- Sensitivity (1W/1m): 97dB
- Dimensions (H x W x D): 560 x 400 x 310 mm
- Weight: 20 kg

(koo-njp12activ)

NJP 15 ACTIV

ABS Bi-amped speaker

- 2 channels
- 2 XLR/Jack mic inputs with gain, 1 RCA/XLR phono/line input, 1 XLR/Jack line output, 1 master, Low / High EQ
- Impedance: 8 ohms
- Woofer: 15"
- Driver: 1,75" Compression
- Max Power: 400W
- Frequency response: 40 20000 Hz
- Sensitivity (1W/1m): 98dB
- Dimensions (H x W x D): 660 x 420 x 360 mm
- Weight: 26 kg

(koo-njp15activ)



BOOMBOX SPX SERIES





SPX12 ACTIV

ABS Bi-amped speaker

- 2 channels
- 1 XLR/TRS mic input with gain
- 1 XLR/RCA line input with gain
- 1 XLR/TRS line output
- Master volume + Bass & Treble adjustable
- Impedance: 8 ohms
- Woofer: 12"
- Driver: 1"
- Max Power: 400 W
- RMS Power: 200 W

(koo-spx12activ)





SPX15 ACTIV

ABS Bi-amped speaker

- 2 channels
- 1 XLR/TRS mic input with gain
- 1 XLR/RCA line input with gain
- 1 XLR/TRS line output
- Master volume + Bass & Treble adjustable
- Impedance: 8 ohms
- Woofer: 15"
- Driver: 1"
- Max Power: 700 W
- RMS Power: 350 W

(koo-spx15activ)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND CAMPUS 12 USB



CAMPUS 12 USB

200W mobile amplified system with 12" woofer, built-in mixer and USB player. Very good sound!

- 200W ABS amplified louspeaker with 12" woofer
- 1 USB input, plays MP3 files from USB flash drive or hard disk (32 GB Memory drive = roughly 8000 songs)
- 1 Mic input on XLR or 1/4" TRS connector with gain adjust
- 1 Line input on XLR or RCA connector with gain adjust
- Adjustable master volume
- Adjustable Bass and Treble EQ
- 1 Line output on XLR or 1/4" TRS connector with gain
- Clip Led indicator and power Led indicator

(koo-campus12usb)





BOOMBOX ZX 250






ZX-250

Switch power amplifier 2U

- Power:
 - stereo: 2 x 150 Wrms / 4 ohm - stereo: 2 x 120 Wrms / 8 ohm
 - bridge: 130 Wrms / 8 ohm
- Input XLR/Jack 6.35
- Output HP Type Speakon/Banana
- Full safety: 3 Speed Fans, short circuit and speaker protection
- 483 x 315 x 89 mm 6 Kg

(koo-zx250)



Sold by Antwerp DJ Supplies Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND SX SERIES



SX 150

Switching Power amplifier 2U 2x150Wmax

- Switch power amplifier 2U
- Power: stereo max: 2 x 150 W
 - stereo: 2 x 90 Wrms / 4 ohm
 - stereo: 2 x 75 Wrms / 8 ohm
 - bridge: 210 Wrms / 8 ohm
- Input: XLR/Jack 6,35"
- Output: Speakon / Binding post
- Protection against overheating short circuits DC excessive input level and switching on / off
- 483 x 254 x 88 mm (2U) 6,5 Kg

(koo-sx150)



SX 250

Switching Power amplifier 2U 2x250Wmax

- Switch power amplifier 2U
- Power: stereo max: 2 x 250 W
 - stereo: 2 x 170 Wrms / 4 ohm
 - stereo: 2 x 140 Wrms / 8 ohm
 - bridge: 350 Wrms / 8 ohm
- Input: XLR/Jack 6,35"
- Output: Speakon / Binding post
- Protection against overheating short circuits DC excessive input level and switching on / off
- 483 x 254 x 88 mm (2U) 7 Kg

(koo-sx250)

SX 400

Switching Power amplifier 2U 2x400Wmax

- Switch power amplifier 2U
- Power: stereo max: 2 x 400 W
 - stereo: 2 x 275 Wrms / 4 ohm
 - stereo: 2 x 200 Wrms / 8 ohm
 - bridge: 450 Wrms / 8 ohm
- Input: XLR/Jack 6,35"
- · Output: Speakon / Binding post
- Protection against overheating short circuits DC excessive input level and switching on / off
- 483 x 254 x 88 mm (2U) 8 Kg

(koo-sx4000)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND SX SERIES



SX 650

Switching Power amplifier 2U 2x650Wmax

- Switch power amplifier 2U
- Power: stereo max: 2 x 650 W
 - stereo: 2 x 380 Wrms / 4 ohm
 - stereo: 2 x 275 Wrms / 8 ohm
 - bridge: 1100 Wrms / 8 ohm
- Input: XLR/Jack 6,35"
- Output: Speakon / Binding post
- Protection against overheating short circuits DC excessive input level and switching on / off
- 483 x 254 x 88 mm (2U) 10 Kg

(koo-sx650)



SX 800

Switching Power amplifier 2U 2x800Wmax

- Switch power amplifier 2U
- Power: stereo max: 2 x 800 W
 - stereo: 2 x 550 Wrms / 4 ohm
 - stereo: 2 x 380 Wrms / 8 ohm
 - bridge: 1560 Wrms / 8 ohm
- Input: XLR/Jack 6,35"
- Output: Speakon / Binding post
- Protection against overheating short circuits DC excessive input level and switching on / off
- 483 x 254 x 88 mm (2U) 11 Kg

(koo-sx800)







KOOLSOUND XL SERIES







Imported in the Benelux by Pro Audio Trade byba

XL-1150

3-way cluster type passive loudspeaker 150W max

- 3-way
- · Black carpet finish
- Impedance: 8 ohms
- 1 Woofer: 8"
- 1 Hi range tweeter
- 1 Mid range horn tweeter 147 x 67 mm
- Max Power: 150W
- Sensitivity (1W/1m): 96dB
- · Connections: jack / binding post
- · Built in adapter for floor stand
- Dimensions (H x W x D): 450 x 280 x 250 mm
- Weight: 11 kg

(koo-xl1150)

XL-1250

3-way cluster type passive loudspeaker 250W max

- 3-way
- Black carpet finish
- Impedance: 8 ohms
- 1 Woofer: 10"
- 1 Hi range tweeter
- 1 Mid range horn tweeter 188 x 80 mm
- Max Power: 250W
- Sensitivity (1W/1m): 98dB
- Connections: jack / binding post
- · Built in adapter for floor stand
- Dimensions (H x W x D): 500 x 340 x 270 mm
- Weight: 14 kg

(koo-xl1250)

XL-1350

3-way cluster type passive loudspeaker 350W max

- 3-way
- Black carpet finish
- · Impedance: 8 ohms
- 1 Woofer: 12"
- 4 Hi range tweeters
- 1 Mid range horn tweeter 225 x 100 mm
- Max Power: 350W
- · Sensitivity (1W/1m): 99dB
- Connections: jack / binding post
- · Built in adapter for floor stand
- Dimensions (H x W x D): 640 x 420 x 300 mm
- Weight: 20 kg

(koo-xl1350)



KOOLSOUND XL SERIES





XL-1500

3-way cluster type passive loudspeaker 500W max

- Black carpet finish
- Impedance: 8 ohms
- 1 Woofer: 15"
- 5 Hi range tweeters
- 1 Mid range horn tweeter 380 x 130 mm
- Max Power: 500W
- Sensitivity (1W/1m): 102dB
- Connections: jack / binding post Dimensions (H x W x D): 740 x 490 x 400 mm
- Weight: 25 kg

(koo-xl1500)

XL-2000

3-way cluster type passive loudspeaker 1000W max

- Black carpet finish
- Impedance: 8 ohms
- 2 Woofers: 15"
- 4 Hi range tweeters
- 1 Mid range horn tweeter 380 x 130 mm
- Max Power: 1000W
- Sensitivity (1W/1m): 105dB
- Connections: jack / binding post Dimensions (H x W x D): 1130 x 490 x 400 mm
- Weight: 45 kg

(koo-xl2000)





KOOLSOUND ZR SERIES



ZR-12

2-way passive loudspeaker 350Wrms

- 2-way
- MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 12"
- Driver: 1,4" titanium RMS Power: 350Wrms
- Frequency response: 50Hz 20kHz
- Sensitivity (1W/1m): 91dB
- Connections: Speakon
- Built-in adapter for floor stand
- Dimensions (H x W x D): 600 x 425 x 395 mm
- Weight: 16 kg

(koo-zr12)



ZR-15

2-way passive loudspeaker 450Wrms

- MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 15"
- Driver: 1,4" titanium
- RMS Power: 450Wrms
- Frequency response: 50Hz 20kHz
- Sensitivity (1W/1m): 93dB
- Connections: Speakon
- Dimensions (H x W x D): 660 x 460 x 430 mm
- Weight: 24 kg

(koo-zr15)





ZR-215

2-way passive loudspeaker 700Wrms

- MDF wooden finish with high quality paint
- Impedance: 4 ohms
- Woofer: 2 x 15"
- Driver: 1,4" titanium
- RMS Power: 700Wrms
- Frequency response: 40Hz 20kHz
- Sensitivity (1W/1m): 96dB
- Connections: Speakon
- Dimensions (H x W x D): 1065 x 460 x 430 mm
- Weight: 40 kg

(koo-zr215)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND V SERIES



<u>V-31</u>

2-way passive loudspeaker 450Wrms

- 2-way
- MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 12"
- Driver: 1,5" RMS Power: 450Wrms
- Frequency response: 55Hz 20kHz
- Sensitivity (1W/1m): 96dB
- Connections: Speakon
- Built-in adapter for floor stand
- Dimensions (H x W x D): 650 x 400 x 375 mm
- Weight: 20 kg

(koo-v31)



V-38

2-way passive loudspeaker 600Wrms

- MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 15"
- Driver: 1,5"
- RMS Power: 600Wrms
- Frequency response: 50Hz 20kHz
- Sensitivity (1W/1m): 98dB
- Connections: Speakon
- Dimensions (H x W x D): 810 x 460 x 450 mm
- Weight: 30 kg

(koo-v38)





V-238

2-way passive loudspeaker 800Wrms

- 2-way
- MDF wooden finish with high quality paint
- Impedance: 4 ohms
- Woofer: 2 x 15"
- Driver: 1,75'
- RMS Power: 800Wrms
- Frequency response: 40Hz 20kHz
- Sensitivity (1W/1m): 102dB
- Connections: Speakon
- Dimensions (H x W x D): 1180 x 540 x 450 mm
- Weight: 48 kg

(koo-v238)

Imported in the Benelux by Pro Audio Trade byba



KOOLSOUND V SERIES





V SUB

15" Passive Subwoofer 600Wrms

- · MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 15"
- RMS Power: 600Wrms
- Frequency response: 45Hz 500Hz
- Sensitivity (1W/1m): 98dB
- Adapter for distance rod on top
- Connections: Speakon
- Dimensions (H x W x D): 656 x 540 x 450 mm
- Weight: 35 kg

(koo-vsub)

V-46 SUB

18" Passive Subwoofer 800Wrms

- MDF wooden finish with high quality paint
- Impedance: 8 ohms
- Woofer: 18"
- RMS Power: 800Wrms
- Frequency response: 35Hz 300Hz
- Sensitivity (1W/1m): 100dB
- Adapter for distance rod on top
- Connections: Speakon
- Dimensions (H x W x D): 600 x 550 x 665 mm
- Weight: 47 kg

(koo-v46sub)



Imported in the Benelux by Pro Audio Trade byba



Imported in the Benelux by Pro Audio Trade byba

KOOLSOUND CDM CASES

CDM 3/2

DJ Flightcase for 19" - 3U CD player

- 3 Units space on top (for 19" controller)
- 2 Units space on bottom (for cd base unit)
- Depth: 500mm
- 2 handles
- Study carpet finish

(koo-cdm3/2)

CDM 6/2

DJ Flightcase for 19" - 2U CD player and 6U mixer

- 2 Units space on top (for 19" controller)
- 6 Units space on top (for 19" mixer)
- 2 Units space on bottom (for cd base unit)
- · Depth: 500mm
- 2 handles
- Study carpet finish

(koo-cdm6/2)

CDM 3/6/2

DJ Flightcase for 19" - 3U CD player and 6U mixer

- 3 Units space on top (for 19" controller)
- 6 Units space on top (for 19" mixer)
- 2 Units space on bottom (for cd base unit)
- Depth: 500mm
- 2 handles
- · Study carpet finish

(koo-cdm3/6/2)

CDM 6/4

DJ Flightcase for 19" - 2U CD player, 2U Amplifier and 6U mixer

- 2 Units space on top (for 19" controller)
- 6 Units space on top (for 19" mixer)
- 4 Units space on bottom (for cd base unit + amplifier)
- Depth: 500mm
- 2 handles
- Study carpet finish

(koo-cdm6/4)



Imported in the Benelux by Pro Audio Trade byba

KOOLSOUND FLIGHTCASES

ALU 200 CD Trolley

Black CD case with 4 rows that fits 200 CD's

- · Foam interior protects your cases
- Trolley for easy transportation
- Dimensions: 608 x 558 x 170
- Weight: 9,5 kg

(koo-flightalucd200b)

ALU 100 CD (Black or Silver)

CD case with 4 rows that fits 100 CD's

- Foam interior protects your cases
- Dimensions: 565 x 285 x 165
- Weight: 5,5 kg
- · Available in black or silver

(koo-alucd100) Silver (koo-alucd100b) Black

LP 100 (Black or Silver)

LP case that fits 70 LP's, opens 80/20

- Foam interior protects your records
- Dimensions: 338 x 338 x 345
- Weight: 3,5 kg
- Available in black or silver

(koo-flightalulp100s) Silver (koo-flightalulp100b) Black

LP 150 (Black, Silver or Jamaïca)

LP case that fits 70 LP's, opens 50/50

- · Foam interior protects your records
- Dimensions: 338 x 338 x 345
- Weight: 3,5 kg
- Available in black, silver or with Jamaïcan flag print

(koo-flightalulp150s) Silver (koo-flightalulp150b) Black (koo-flightalulp150jam) Jamaïca print



KOOLSOUND STANDS

KSS-305 (Black or Silver)

Loudspeaker stand

- Ø 35 mm tube loudspeaker stand
- · Can carry up to 40 kg
- Delivered with support plate
- Available in black or silver finish

(koo-kss305s) Silver (koo-kss305b) Black

Kit KS 05B

Kit including 2 KSS 305 stands a storage bag and 2 cables

Loudspeaker kit including:

- 2 extensible tripods for loudspeakers (KSS-305 B) for very heavy loads (40 kg) including support plates
- 1 storage bag
- 2 x 7m Speakon type HP cables

(koo-kitks05b)

LST 389

Aluminium lighting stand with T-bar 3,20 m

- Alu Stand height 3,20 m
- Incl square section T- Bar
- Max load capacity: 30 kg
- Tube Ø 38 mm
- Weight: 6kg

(koo-lst389)

LST 400

Lighting bridge with triangle steel truss and 2 stands

- · Light stand with triangle steel truss
- 3 m trussing span
- Height 3,50m
- Max load capacity 90kg
- Weight: 25 kg

(koo-lst400)



KOOL LIGHT LASERS





G-Storm

Green Laser 30mW

- 4 channel DMX
- 25 Different patterns: tunnels, beams, ceilings, sweeps...
- Sound activated
- Auto mode
- Master/Slave function

(koo-gstorm)






Red Wave

Red Laser 100mW

- 4 channel DMX
- 25 Different patterns: tunnels, beams, ceilings, sweeps,...
- Sound activated
- Auto mode
- Master/Slave function

(koo-redwave)





X-Performer

Green laser 40mW

- 4 channel DMX
- 48 Different patterns: tunnels, beams, ceilings, sweeps,...
- Sound activated
- Auto mode
- Master/Slave function

(koo-xperformer)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT LASERS





Lung 100 New

Green Laser 60mW

- 5 channel DMX
- Multi patterns: tunnels, beams, ceilings, sweeps...
- Sound activated
- Auto mode
- Master/Slave function

(koo-lung100new)





Wizzard MK2

Green Laser 120mW

- 5 channel DMX
- Multi patterns: tunnels, beams, ceilings, sweeps...
- Sound activated
- Auto mode
- Master/Slave function

(koo-wizardmk2)





Laser Show

Green YAG Laser 120mW

- · Scanning motors 20 Kpps
- 20 channel DMX
- 256 patterns: tunnels, beams, ceilings, sweeps animations,...
- 2 effects can be projected simultaneous
- Sound activated
- Auto mode
- Master/Slave function

(koo-lasershow)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT LED LIGHTING







Purelite Spot-Ex 15 (Black or White)

Moving head spot with a 15W LED

- 1 Led RGB 15 W (Made in USA).
- 5 or 13 DMX Channels
- · Dimmer, Strobe
- 1 wheel with 9 gobos + Open
- 12 colors RGB mixing + Color macros
- Progams built-in
- Sound activated
- MasterSlave
- Color Black or White
- Dimensions: 175 x 175 x 260 mm
- Weight: 3,65 kg

(koo-spotex15black / koo-spotexwhite)

Cyclope

Animated laser style led effect 64 LEDs

- 64 RGB LED's
- 9 DMX Channels
- 85 different patterns
- Vertical and horizontal movement, large or small figures
- 3 colors
- Adjustable flash and brightness
- Master/slave
- Sound activated with built-in programs

(koo-cyclope)

Talos

Animated laser style led effect 256 LEDs

- 256 RGB LED's
- 10 DMX Channels
- 85 different patterns
- Vertical and horizontal movement, large or small figures
- 3 colors
- · Adjustable flash and brightness
- Master/slave
- · Sound activated with built-in programs

(koo-talos)

Imported in the Benelux by So Pro Audio Trade byba Ar



KOOL LIGHT LED LIGHTING




LED Eyes

Double flower LED effect

- 2 x 56 RGB LED's
- Sound activated

(koo-ledeyes)



LED Color 4

Flower LED effect

- 18 RGB LED's
- Sound activated

(koo-ledcolor4)



Moon LED

Moon flower LED effect

- 84 RGB LED's
- 4 DMX channels
- Sound activated

(koo-moonled)



Star LED

Moon flower scanner LED effect

- 84 RGB LED's
- 6 DMX channels
- Sound activated

(koo-starled)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT LED LIGHTING



Multiflower LED

Multicolor led effect with 399 LEDs

- 7 Multicolored effects simutaneous
- 8 DMX channels
- Master/Slave
- · Sound activated with built-in programs
- Strobe function
- 0-100% dimming
- Dimensions: 310 x 300 x 330 mm

(koo-multiflowerLED)



LED Tube DMX

LED Tube 1m with 144 LED's

- The LED TUBE is 1m long and contains 144 LED's
- This tube is divided in 8 sections, 7 colors
- Ø 50mm
- Aluminium base
- IP66 rated and therefore suitable for outdoor applications,
- 220V Linkable up to 1000 tubes
- Can be controlled by LED CONTROLLER DMX

(koo-ledtube)



LED Controller DMX

Dedicated controller for LED tube

- Can control up to 2000 tubes simultaneous
- 29 Built-in programs
- Can be controlled manually or with DMX

(koo-ledcontroller)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT LIGHT EFFECTS



Rosaly

Affordable light effect

- Multi-beam rotating projector
- Colored rose effect style Gobo
- Sound activated
- Lamp: 1 x BRL 12V/50W
- · Lamp included

(koo-rosaly)




Flower Color 2

Affordable light effect

- Multi-beam rotating projector
- Projects colored beams
- Sound activated
- Lamp: 1 x BRL 12V/50W
- Lamp included

(koo-flowercolor2)





Imported in the Benelux by Pro Audio Trade byba

Cosmos

Affordable flower type effect rotating on base

- Multi-beam flower rotating projector
- · Rotating on base
- Pan 180° / Tilt 90°
- Lamp: 1 x BRL 12V/50W
- Lamp included

(koo-cosmos)



KOOL LIGHT LIGHT EFFECTS



<u>Jalapa</u>

Double multi-beam light effect

- Double rotating multi-beam projector
- Sound activated
- Lamp: 1 x FCS 24V/150W
- Lamp included

(koo-jalapa)



Mirabilis

Double flower type light effect

- Double rotating flower projector
- Sound activated (rotation, stop and flash)
- Lamps: 2 x BRL 12V/50W
- Lamps included

(koo-mirabilis)





Columbia

Rotating ball light effect

- Rotating ball with multicolored beams Lamps: 1 x BRL 12V/50W
- Lamp included

(koo-columbia)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT LIGHT EFFECTS



Mushroom

Mushroom style light effect with 32 multi colored beams

- 32 lenses perform a circular movement and change the direction of movement at every bass beat
- Sound-controlled via built-in microphone
- Microphone sensitivity adjustable via rotary-control
- Lamp: 2 x 120V/300W
- Lamps included

(koo-mushroom)



Double Derby 2

Derby style light effect with 40 multi colored beams

- 20 lenses project 40 beams wich rotate to the music
- Sound-controlled via built-in microphone
- Microphone sensitivity adjustable via rotary-control
- Lamp: 2 x 120V/300W
- Lamps included

(koo-doublederby2)



Multi Eyes

Dancing moonflower with 6 lenses

- 6 lenses provide 6 moonflower beams
- Sound-controlled via built-in microphone
- Microphone sensitivity adjustable via rotary-control
- Lamp: 1 x FCS 24V/150W
- Lamp included

(koo-multieyes)



Seven Gobos

Gobo flower effect with 7 different gobos

- Projects muticolored gobos
- Sound-controlled via built-in microphone
- Microphone sensitivity adjustable via rotary-control
- Lamp: 1 x MR-16 EFP 12V/50W
- Lamp included

(koo-sevengobos)

Imported in the Benelux by Pro Audio Trade byba



KOOL LIGHT MIRROR BALLS









Imported in the Benelux by Pro Audio Trade byba

Ball 20

Mirror ball without motor

Diameter 20 cm

(koo-ball20)

Ball 30

Mirror ball without motor

Diameter 30 cm

(koo-ball30)

Ball 40

Mirror ball without motor

Diameter 40 cm

(koo-ball40)

AC-1

Motor for mirror balls

- For diameters 20, 30 or 40 cm
- 220V

(koo-ac1)